
Operator POST_CHAM_XFEM

1 Goal

To create a SD Résultat containing the fields post-to treat method X-FEM.

It makes it possible to generate the following fields in order to post-treat them on the fissured grid:

- fields of displacements, constraints and internal variables following the resolution of a mechanical problem
- field of temperature following the resolution of a thermal problem

Product a concept of the type `resultat_sdaster`.

The order `POST_MAIL_XFEM [U4.82.21]` which makes it possible to generate the fissured grid is essential before the use of `POST_CHAM_XFEM`.

2 Contents

Contents

1 Goal
1	
2 Contents
2	
3 Syntax
3	
4 Operands
3	
5 Examples of use
4	
5.1 Bar fissured with X-FEM (treated by test SSNV173A)
4	
5.1.1 Visualization of the field displacement obtained by POST_CHAM_XFEM
4	

3 Syntax

```
resu2 [resultat_sdaster] = POST_CHAM_XFEM (  
  
    ♦ RESULT      =  resu,                                [sd_evol_elas]  
                                                         [sd_evol_noli]  
                                                         [sd_mode_meca]  
                                                         [sd_evol_ther]  
    ♦ MODELE_VISU =  Mo,                                [modele_sdaster]  
  
)
```

4 Operands

- ♦ MODELE_VISU
Name of the model of visualization based on the grid of visualization, produced by the order POST_MAIL_XFEM [U4.82.21].
- ♦ RESULT
Name of the concept result resulting beforehand from MECA_STATIQUE, STAT_NON_LINE, of an operator of modal calculation (MODE_ITER_*) or of THER_LINEAIRE. In the case of a concept result resulting from MECA_STATIQUE or of STAT_NON_LINE fields post-treaties are 'DEPL', 'VARI_ELGA', 'SIEF_ELGA' (provided the fields exist in the structure of data result). In the case of a concept result resulting from one MODE_ITER_* L only the field 'DEPL' can be post-treaty. In the case of a concept result resulting from THER_LINEAIRE, only the field 'TEMP' can be post-treaty
If the concept result as starter contains the map of the behavior, this one is also transferred in the result at exit. This map is sometimes essential post-to treat fields (such as for example the field DERA_ELGA)

Caution: the concept result product by POST_CHAM_XFEM does not contain by the material field (sd_cham_mater). However certain options of postprocessing (like EPSI_ELGA) need a material field. It is thus sometimes necessary to recreate a material field starting from the grid resulting from POST_MAIL_XFEM.

For more details, to see [U2.05.02] which illustrates the implementation of a complete postprocessing after a calculation X-FEM.

5 Examples of use

5.1 Bar fissured with X-FEM (treated by test SSNV173A)

5.1.1 Visualization of the field displacement obtained by POST_CHAM_XFEM

